

Film	Transmitted	Reflected (Interior)	Reflected (Exterior)	UV Rejected	Shading Coefficient	Solar Heat Gain Coefficient (G-value)	Total Solar Energy Rejected
<u>Matte Translucent 2 mil</u>	72%	-	17%	94%	0.84	0.73	27%
<u>Black Out</u>	0%	-	6%	100%	0.20	0.16	84%
<u>White Out</u>	10%	-	48%	99%	0.37	0.31	69%
<u>UV Filter 2 mil</u>	87%	-	11%	100%	0.95	0.82	18%